MILLER

Miller Lighting Specification Sheets - Edition One

MILLER


Sydney Pendant


DIMENSIONS	LAMP	PLACEMENT	CANOPY
450W x 1200L x 110D Shipped with 2m of cable	Warm White 2700K LED, 24V DC	Ceiling	Black 80mm diameter x 38mm height Black 80mm seamless flush ceiling canopy


POWER	CRI	DIMMING	DRIVER LOCATION
23W	CRI 90+	Phase DALI on request	Remote Driver

MATERIALS	GLASS	IP RATING	WEIGHT
- Vapour Blasted Aluminium Custom Body - Aged Brass Custom Blade Finishes: - Custom Glass	Standard Finish: Fluted Glass Customisation Available	IP20	8 KG

LEAD TIME	PRICE
6-9 Weeks	Price on Request







Millerobjects.com

info@millerobjects.com

Made in Australia

MILLER


Sydney Pendant Double


DIMENSIONS	LAMP	PLACEMENT	CANOPY
450W x 2430L x 110D Designed with a modular connection system, the Sydney Pendant can be extended by adding as many segments as required. eg. 2,3,4 sections of glass	Warm White 2700K LED, 24V DC	Ceiling	Black 80mm diameter x 38mm height Black 80mm seamless flush ceiling canopy Shipped with 2m of cable


POWER	CRI	DIMMING	DRIVER LOCATION
48W	CRI 90+	Phase DALI on request	Remote Driver


MATERIALS	GLASS	IP RATING	WEIGHT
- Vapour Blasted Aluminium Custom Body - Aged Brass Custom Blade Finishes: - Custom Glass	Standard Finish: Fluted Glass Customisation Available	IP20	16 KG

LEAD TIME	PRICE
6-9 Weeks	Price on Request









MILLER


Ruby Pendant 455


DIMENSIONS	LAMP	PLACEMENT	CANOPY
455 dia. Shipped with 2m of black cloth covered cable	Warm White 2700K LED, 24V DC	Ceiling	Black 80mm diameter x 38mm height Black 80mm seamless flush ceiling canopy

POWER	CRI	DIMMING	DRIVER LOCATION
20W	CRI 90+	Phase DALI on request	Remote Driver

MATERIALS	DIFFUSER	IP RATING	WEIGHT
- Vapour Blasted Aluminium - Bronze Powdercoat - Black Powdercoat Custom Body - Aged Brass	Standard Finish: Custom Frosted Resin	IP20	2KG

LEAD TIME	PRICE
6-9 Weeks	Price on Request





MILLER


Ruby Pendant 280


DIMENSIONS	LAMP	PLACEMENT	CANOPY
280 dia. Shipped with 2m of black cloth covered cable	Warm White 2700K LED, 24V DC	Ceiling	Black 80mm diameter x 38mm height Black 80mm seamless flush ceiling canopy

POWER	CRI	DIMMING	DRIVER LOCATION
12W	CRI 90+	Phase DALI on request	Remote Driver

MATERIALS	DIFFUSER	IP RATING	WEIGHT
- Vapour Blasted Aluminium - Bronze Powdercoat - Black Powdercoat Custom Body - Aged Brass	Standard Finish: Custom Frosted Resin	IP20	1KG

LEAD TIME	PRICE
6-9 Weeks	Price on Request





MILLER

Ruby Wall Sconce 280


DIMENSIONS	LAMP	PLACEMENT	MOUNTING
280 dia. Shipped with 1m tails	Warm White 2700K LED, 24V DC	Wall	Shipped with black 20mm mounting bracket.

POWER	CRI	DIMMING	DRIVER LOCATION
12W	CRI 90+	Phase DALI on request	Remote Driver

MATERIALS	DIFFUSER	IP RATING	WEIGHT
- Vapour Blasted Aluminium - Bronze Powdercoat - Black Powdercoat Custom Body - Aged Brass	Standard Finish: Custom Frosted Resin	IP20	1KG

LEAD TIME	PRICE
6-9 Weeks	Price on Request







MILLER

Ruby Wall Sconce 455

DIMENSIONS	LAMP	PLACEMENT	MOUNTING
455 dia. Shipped with 1m tails	Warm White 2700K LED, 24V DC	Wall	Shipped with black 20mm mounting bracket.

POWER	CRI	DIMMING	DRIVER LOCATION
12W	CRI 90+	Phase DALI on request	Remote Driver



MATERIALS	DIFFUSER	IP RATING	WEIGHT
- Vapour Blasted Aluminium - Bronze Powdercoat - Black Powdercoat Custom Body - Aged Brass	Standard Finish: Custom Frosted Resin	IP20	2KG

LEAD TIME	PRICE
6-9 Weeks	Price on Request





MILLER